



FIVICS
ARCHERY



Address » 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea

Tel » +82-31-245-6388 Fax » +82-31-245-6386 E-mail » info@fivics.com

Follow us on Twitter!
<https://twitter.com/FIVICSARCHERY>

Like us on Facebook!
<https://www.facebook.com/fivics.korea>

YouTube™ Subscribe to us on YouTube!
<https://www.youtube.com/user/fivicskorea>

Note: At the time of production of our 2018 Product Guide, the bows, limbs, color options, and all other accessories shown, and the information contained, had been thoroughly checked for accuracy. However, in the event an error was made, Fivics reserves the right to notify our dealers and customers at its discretion. Additionally, Fivics reserves the rights to modify, change or discontinue products shown in this publication without notice. Before using bows and other archery equipment, read all safety guidelines and warnings in the owner's manual or Online at www.fivics.com.



FIVICS BOW LIMITED LIFETIME WARRANTY

Fivics recurve handles are guaranteed against manufacturing defects in materials and workmanship to the original owner for the life of the product.

For more information visit us online at
www.fivics.com

2018 PRODUCT GUIDE

FIVICS

DESIGN YOUR SHOOTING 2018

FIVICS PRODUCT GUIDE



FIVICS®
ARCHERY



We appreciate and thank our archers for the great year of 2016 and 2017.

In 2016, the Fivics pro staff team have performed extraordinarily in the Rio Olympics and World Championships. In 2017, Fivics shooters our team has succeeded in the World Championships in Mexico with a gold medal. Going into 2018, we look forward to seeing even better results with our improving products. From the start, our goal is to make YOU the best in the world!

STORY OF TEAM FIVICS IN 2017

The Best Shooters, The Greatest Moments and The Finest Victory!

Fivics would like to thank all Fivics shooters and supporters of our equipment. To make the best moment, Fivics continues to research, produce and shoot with you.

We are proud to present the new 2018 Fivics equipment line to you!





FIVICS BOWS

- 10 TITAN EX RISER
- 12 TITAN X2 RISER
- 13 VELLATOR RISER
- 16 TITAN EX LIMBS
- 18 TITAN X2 LIMBS
- 20 VELLATOR LIMBS
- 22 FIVICS BOWS SPECIFICATIONS

FIVICS ACCESSORIES

- 24 FV-300 SIGHT
- 26 PHEONIX 1500D STABILIZER
- 28 PHEONIX 1500D STABILIZER
- 29 VELLATOR STABILIZER
- 30 V-BAR, DAMPER, WEIGHT
- 31 UPSTABILIZER, CUSHION PLUNGER, REST
- 32 FINGER TAB
- 35 T-GAUGE, BOW STAND, ARROW PULL, PIN NOCK

FIVICS GEAR

- 38 BOW CASE
- 42 QUIVER
- 44 PROTECTION, SOUVENIRS
- 46 TARGET FACES

KROSSEN

- 52 XENIA BOW
- 54 SIGHT, STABILIZER
- 56 ACCESSORIES
- 58 BOW CASE, QUIVER
- 60 ARROW



**TOP
SHOOTER'S
CHOICE**

FIVICS BOWS

TITAN EX
TITAN X2
VELLATOR



NEW TECHNOLOGY OF TITAN EX RISER

FIVICS ARCHERY
TITANEX




TIGHT AND SECURE GRIP

3 important points
in grip system



7075 RISER VS EX 6061 RISER

The Titan EX riser is designed with aluminum 6061 to allow the best vibration absorption possible. Using hydraulic press machine, we have scientifically proven that our 6061 riser can tolerate higher pressure than risers made from the more rigid materials like the 7075 aluminum.



STABLE & STEADY GEOMETRY

The Titan EX's design purpose is to maximize the speed of the arrow. With the perfect centroidal balance design and the TSG (tight and secure grip), we have achieved great stability and arrows can be controlled better at high speeds



TITAN EX

BOWS / RISER

010

Unlimited improvement

Fivics is the only archery company you can trust to endlessly challenge themselves. They have a fiery passion to make you say "Fivics will always makes new revolutionary ideas"

Precision made
0.1r 0.15r 0.2r 0.3r 0.4r

Anodizing



Blue Sky Green Yellow Orange Red Purple Black White

Painting



BOWS / RISER

011

HX0525 » TITAN EX RISER

- Superfine CNC milling
- Special unique designed wooden grip
- Meticulous and Precise production
- Perfect centroidal balance
- Flawless coating
- Deep color from anodizing
- Aesthetically brilliant painting

PROCESSING » CNC

WEIGHT » 1,330g(25")

MATERIAL » AL 6061

TYPE » RH/LH

GRIP » TSG Wood Grip

COLOR » Anodized

Stabilizer Mount Thread 5/16" - 24

Upstabilizer Mount Thread 5/16" - 24

Cushion Plunger Mount Thread 5/16" - 24


Clicker Mount Thread 6/32"

TITAN X2

HT0525 » TITAN X2 25" RISER
HT0527 » TITAN X2 27" RISER

- Superfine CNC milling
- Special unique designed wooden grip
- Meticulous and Precise production
- Perfect centroidal balance
- Flawless coating
- Deep color from anodizing
- Aesthetically brilliant painting

PROCESSING » CNC
WEIGHT » 1,315g(25")
MATERIAL » AL 6061
TYPE » RH/LH
GRIP » High layered Wood
COLOR » Anodizing



Stabilizer Mount Thread 5/16" - 24
Upstabilizer Mount Thread 5/16" - 24
Cushion Plunger Mount Thread 5/16" - 24
Clicker Mount Thread 6/32"



Anodizing



Black Red Yellow Blue Pink Silver Brown

VELLATOR

HV0225 » VELLATOR 25" RISER
HV0223 » VELLATOR 23" RISER

- The lightest weight
- Only 1,100grams
- Flawless coating
- Showy color from painting
- Perfect centroidal balance

PROCESSING » Forged & CNC
WEIGHT » 1,100g(25")/1,070(23")
MATERIAL » AL 6061
TYPE » RH/LH
GRIP » Plastic
COLOR » Anodizing
LENGTHS » 23",25"

Stabilizer Mount Thread 5/16" - 24
Upstabilizer Mount Thread 5/16" - 24
Cushion Plunger Mount Thread 5/16" - 24
Clicker Mount Thread 6/32"



TECHNOLOGY OF TITAN EX LIMBS

Stability / Accuracy / higher durability



SKY FLEX CWP CARBON PREPREG MATERIAL


With the cooperation of Fivics Archery and SK Chemical, we have developed the best and unique Carbon "PrePreg material" for archery. This material allows efficient pull kinetics and quick restoration.

- The most important thing in archery, Limbs is carbon's raw material
- In the process of producing good carbon materials, prepreg technology of epoxy and carbon fiber is proportional to the tension and torsion of the limbs.

Prepreg = Pre + Impregnated Material




SKY FLEX = Natural Flex fiber + Epoxy Resin



R-TECH

We utilized the CWP carbon fiber, which has a specially staggered layer structure to reduce torsion of the limb and to efficiently absorb vibration during the shot.



Carbon Material by SK Chemical

Increased stiffness but saved the same stability and uniform elasticity of the limb by cooperation between Fivics. and SK chemical

Plane Weave




Low Drapeability
High Crimp
Good Decoration




TITAN EX LIMBS - Surprising effect of 45 degrees carbon technology

The glass fiber is used to protect the carbon but this combination reduces arrow speed due to the heavy mass weight. On the other hand, 45 degrees carbon system increases shooting stability, protecting carbon as well as reinforcing anti-twisting.



Increased stiffness but saved the same stability and uniform elasticity of the limb.

Dry fire testing for breaking and strength of limbs



TITAN EX WOOD CORE LIMBS

LXWC01 » TITAN EX WOOD CORE LIMBS

- Clean and powerful shooting
- New Material : CWP carbon
- Light weight
- Improved limb tip design


MATERIAL » CWP 3K Full Carbon

CORE » Wood core

BOW LENGTH » 66",68",70"

DRAW WEIGHT(lbs.) » 32#-50# (2# increments)

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



TITAN EX FOAM CORE LIMBS

LXCF01 » TITAN EX FOAM CORE LIMBS

- Clean and powerful shooting
- New Material : CWP carbon
- Light weight
- Improved limb tip design


MATERIAL » CWP 3K Full Carbon

CORE » Foam core

BOW LENGTH » 66",68",70"

DRAW WEIGHT(lbs.) » 32#-50# (2# increments)

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



TITAN X2 WOOD CORE LIMBS

LTWC01 » TITAN X2 WOOD CORE LIMBS

- Clean and powerful shooting
- New Material : MONOCOQUE UD carbon
- Light weight
- Improved limb tip design


MATERIAL » Double angled Full Carbon

CORE » Wood core

BOW LENGTH » 66", 68", 70"

DRAW WEIGHT(lbs.) » 32#-50# (2# increments)

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



TITAN X2 FOAM CORE LIMBS

LTFC01 » TITAN X2 FOAM CORE LIMBS

- Clean and powerful shooting
- New Material : MONOCOQUE UD carbon
- Light weight
- Improved limb tip design


MATERIAL » Double angled Full Carbon

CORE » Foam core

BOW LENGTH » 66", 68", 70"

DRAW WEIGHT(lbs.) » 32#-50# (2# increments)

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



VELLATOR WOOD CORE LIMBS

LVWC02 » VELLATOR WOOD LIMBS

- Wood core only
- Makes high speed arrow
- Improved limb tip design
- Crosse carbon applied


MATERIAL » UD CARBON

CORE » Wood

BOW LENGTH » 66", 68", 70"

DRAW WEIGHT(lbs.) » 22#-38# (2# increments)

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



VELLATOR FOAM CORE LIMBS

LVFC02 » VELLATOR FOAM LIMBS

- Foam core only
- Makes high speed arrow
- Improved limb tip design
- Crosse carbon applied


MATERIAL » UD CARBON

CORE » Wood

BOW LENGTH » 66", 68", 70"

DRAW WEIGHT(lbs.) » 22#-38# (2# increments)

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



FIVICS BOWS SPECIFICATIONS

RISER TECHNICAL SPECIFICATIONS

RISER	LENGTHS	WEIGHT	MATERIAL	TYPE	COLOR (Painted)
TITIAN EX	25"	1,330g	Aluminum(6061)	RH / LH	Anodizing : Blue, Sky, Green, Yellow, Orange, Red, Purple, Black Painting : White
TITIAN X2	25" 27"	1,315g 1,330g	Aluminum(6061)	RH / LH	Anodizing : Black, Red, Orange, Yellow, Blue, Purple Painting : White
VELLATOR	23" 25"	1,060g 1,100g	Aluminum(6061)	RH / LH	Anodizing : Black, Red, Yellow, Blue, Pink, Silver, Brown
XENIA	25"	750g	Alloy Magnesium	RH / LH	Painting : Black, White, Blue, Redm Green

LIMBS TECHNICAL SPECIFICATIONS

LIMBS	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
TITAN EX WOOD CORE	Wood / CWP 3K Full Carbon	32# ~ 50#	66", 68", 70"
TITAN EX FOAM CORE	Foam / CWP 3K Full Carbon	32# ~ 50#	66", 68", 70"
TITAN X2 WOOD CORE	Wood / Double angled Full Carbon	32# ~ 50#	66", 68", 70"
TITAN X2 FOAM CORE	Foam / Double angled Full Carbon	32# ~ 50#	66", 68", 70"
VELLATOR WOOD CORE	Wood / UD Carbon	22# ~ 38#	66", 68", 70"
VELLATOR FOAM CORE	Foam / UD Carbon	22# ~ 38#	66", 68", 70"
XENIA WOOD CORE	Wood / Fiber Glass	14#-30#	66", 68", 70"
XENIA FOAM CORE	Foam / Fiber Glass	14#-30#	66", 68", 70"

FIVICS ACCESSORIES

SIGHT
STABILIZER
CUSHION PLUNGER
REST
FINGER TAB



FV-300

ACCESSORIES / SIGHT

024


8 - LOCKING SYSTEM
4 LOCKS - 8 SURFACES



FV300S » FV-300 SIGHT

- Designed for Olympic style / Recurve bows
- Specially designed weight and dampers available (included)
- VTS (Variable Tension System)
- Elevation travel tension adjustment

SIZE » Extention 9"
TYPE » RH / LH
MATERIAL » Aluminum, Carbon




ACCESSORIES / SIGHT

025

SGP01S » SIGHT PIN (SQUARE) SGP01R » SIGHT PIN (ROUND)

- Designed for Olympic style / recurve bows
- Apply all of sights



SIGHT DAMPERS

Extra special designed weight and damper are included



PHEONIX 1500D



Phoenix 1500D is made of compressed carbon to allow maximum vibration dampening during the shot while allowing wind resistance with its thin design.

Fitted aluminum caps protect the high quality carbon from external shock.

- STP15CL » PHEONIX 1500D-B STABILIZER LONG(COMPOUND)
- STP15RL » PHEONIX 1500D-A STABILIZER LONG + DC1500 DAMPER (RECURVE)
- STP15RS » PHEONIX 1500D-A STABILIZER SIDE (COMPOUND, RECURVE)
- STP15RE » PHEONIX 1500D-A STABILIZER EXTENDER (RECURVE)



DIAMETER » 15.5mm
LENGTH » Long : 26", 28", 30" / Side : 8", 10", 11", 12", 13", 15" / Extender : 4", 5"
Type » A(Recurve type), B(Compound type)

Suitable weight (All weights can be used for other Fivics stabilizers. The weight listed on this page is the recommended weight to use with this stabilizer)

RECURVE TYPE

- Carbon Shaft + Aluminum frame structure make strong attachment of cap part.



COMPOUND TYPE

- Inner weight Extender is included(long)



- Double dampener structures is unidirectional towards the front with no possibility of floppy end. Efficiently reduces vibration!



PX1500 WEIGHT

- 3 kinds of weights available. Easy to use!
- Weight : 26g/52g/104g



CD1500 » PX1500 DAMPER



CEX1900

STC19L » CEX1900 LONG STABILIZER

STC19S » CEX1900 SIDE STABILIZER

STC19E » CEX1900 EXTENDER

- 7 colors available
- Special metallic coating with vivid color
- Chrome coated cap
- Thickened extender
- Absorbing noise system
- Stabilizer screw top
- FSP system : Four Strong Pillar system
- One color extender

DIAMETER » 19mm

EXTENDER DIAMETER » 21mm

LENGTH » Long : 26", 28", 30" / Side : 10", 11", 12"
/ Extender : 4", 5", 6"

WEIGHT » 130g(30"), 86g(12")

Suitable weight (All weights can be used for other Fivics stabilizers. The weight listed on this page is the recommended weight to use with this stabilizer)

VBM01R » MAN V-BAR

Upgraded connecting bolt

ANGLE » 40° / 45° MATERIAL » Aluminum

COLOR » BLACK



VD200D »

VD200 DAMPER

VWT 200 WEIGHT



VWT20H

VWT20F

UPGRADE



VELLATOR

STV01L » VELLATOR LONG STABILIZER

STV01S » VELLATOR SIDE STABILIZER

STV01E » VELLATOR EXTENDER

- Including special laminating materials
- Damper and weight head included
- Absorbing noise system
- stabilizer + damper + weight head

DIAMETER » 18mm

LENGTH » Long : 26", 28", 30" / Side : 9", 10", 12" / Extender : 3", 4", 5"

WEIGHT » 130g(30"), 78g(12")

Suitable weight (All weights can be used for other Fivics stabilizers. The weight listed on this page is the recommended weight to use with this stabilizer)



VBM01R » MAN V-BAR

Upgraded connecting bolt

ANGLE » 40° / 45° MATERIAL » Aluminum

COLOR » BLACK



XEDA01 »

XENIA DAMPER

XENIA WEIGHT



XEWH01

XEFW01

VBM01R » MAN V-BAR

Upgraded connecting bolt
ANGLE » 40° / 45° MATERIAL » Aluminum
COLOR » BLACK

**VBT01C » COM V-BAR**

Easy to adjust, but strong holding for compound bow
MATERIAL » Aluminum

**VBC02C » COM CONNECTING BOLT**

Quick disconnection
MATERIAL » Aluminum
ANGLE » -10°

**DV1500 » DC1500 DAMPER**

Thread » 1/4"-20

**VD200D » VD200 DAMPER**

Thread » 1/4"-20

**VZEROL » V-ZERO DAMPER**

Thread » 1/4"-20

**VZEROM » V-ZERO MINI-DAMPER**

Thread » 1/4"-20

**PX1500 WEIGHT**

Diameter: 29mm
Weight: 26g/52g/104g
Thread » 1/4"-20



WT15004

WT15002

WT15001

VWT200 » VWT 200 WEIGHT

Diameter: 24mm
Weight: Head-38g / Flat-38g
Thread » 1/4"-20

**CONVERTER SCREW**

*Applicable for all dampers



1/4-20

5/16-24

SCREWS

1/4-20

5/16-24

SCREW

**TNS100 » TNS100AL UPSTABILIZER**

Weight : 90g Thread » 5/16"-24

**TNV230 » TNV 2300 UPSTABILIZER**

Weight : 80g Thread » 5/16"-24

**SM540 » SM540 CUSHION PLUNGER**

Compact size to make easy setting

Thread : 5/16" - 24

Adjustable Length : min 19.5mm, max 26.5mm

**SM740 » SM740 CUSHION PLUNGER**

Window checking

Thread : 5/16" - 24

Adjustable Length : min 19.5mm, max 26.5mm

**BRS001 » BUTTERFLY REST**

Ambidextrous Design

**MRS001 » MR REST**

Stainless steel ensured durability while reducing friction.

**TCS001 » TC REST**

Height adjustable high-end stainless steel rest.



SAKER SERIES



SFT04A »
Saker+ Plus finger tab

SIZE » L / M / S (RH is new model, but LH is old version in 2016)

Saker+ Plus finger tab is 4mm thick, allows 3 weight control systems and 5 angle adjustment system through precise machining of the aluminum plate.

Saker+ Plus finger tab can be adjusted to fit the archer's shape and preference to allow more stable hooking position, making it the best tab to shoot perfectly in any competition.

And also, it is very easy to cover the special parts for the thumb and little finger.

We at Fivics understand that shooters have different preferences and we will thrive to consider all of them.

Saker+ Plus finger tab's spacer is designed to bend to your preferred hand shape for more comfortable shots. It also looks like an elephant!

Fivics is using high quality cordovan leathers only which is provided by H company with one hundred years history in U.S.A

1 Angle Adjustment



2 Adjustable Ledge



3 Weight Control



4 Balance Control



- Ergonomic design
- Adjustable ledge
- Replaceable face and backing
- Optional finger spacer available



BFT01A » BRASS SAVER 1

SIZE » L / M / S (RH / LH)
WEIGHT » L 162g, M 152g, S 144g
LEATHER » Cordovan



BFT02A » BRASS SAVER 2

SIZE » L / M / S (RH / LH)
WEIGHT » L 150g, M 140g, S 136g
LEATHER » Cordovan



SFT01A » SAKER 1

SIZE » XL / L / M / S / XS / XXS (RH / LH)
LEATHER » Cordovan



COLOR



SFT02A » SAKER 2

SIZE » XL / L / M / S / XS / XXS (RH / LH)
LEATHER » Cordovan



COLOR



SFT03A » SAKER 3

SIZE » L / M / S (RH / LH)
LEATHER » Cordovan



COLOR



EPO02S » SAKER 1 FINGER TAB FRAME EP

EPO01 only fits Saker 1 finger tab

It offers top shooters another value for their hooking direction, comfortable and balanced.

This component enhances the saker finger tab's ergonomic design



Size » saker1 XL , L = EP (L size)
saker1 M , S = EP (M size)
saker1 XS , XXS = EP (S size)



WA RULES Book3, Chapter 11, Article 11.18

The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal.
World Archery C&R Committee, 22 September 2014

POLITE SERIES

PFT03N » POLITE 3 FINGER TAB

- Emphasizes the sense of unity in your hands.
- Absolute stability, accuracy, and sense of unity of hooking
- 5 Distribution and support of the optimal force by using the whole fingers
- Ergonomic 3D design
- Aluminium & anodizing surface treatment

SIZE » L / M / S (RH / LH)
COLOR » Champagne Gold



reddot award 2014
winner

PFT02N » POLITE 2 FINGER TAB

- Adjustable ring finger rest
- Emphasizes the sense of unity in your hands.
- Absolute stability, accuracy, and sense of unity of hooking
- 5 Distribution and support of the optimal force by using the whole fingers
- Ergonomic 3D design
- Aluminium & anodizing surface treatment

SIZE » L / M / S (RH / LH)
COLOR » Champagne Gold



reddot award 2014
winner

FINGER SPACER



FS004D
Material : Rubber
Size : 39.8 x 29.3 x 16.2mm
Weight : 14g
COLOR
Red Yellow Green Blue Purple Black



FS004S
Material : Rubber
Size : 32 x 28 x 12.4mm
Weight : 10g



FS001
Material : Plastic
Size : 36 x 28.3 x 12.3mm
Weight : 8g



FS006
Material : Plastic & Rubber
Size : 40 x 29 x 10mm
Weight : 10g
NEW

CARBON

AC05AT » CARBON T-GAUGE BOW SQUARE

Material : Carbon



ST001S » AUTOMATIC (SHORT)

ST001L » AUTOMATIC (LONG)

BOW STAND

Height : 44cm [ST001S], 65cm [ST001L]
Weight : 573g [ST001S], 680g [ST001L]
Material : Aluminum



AC23PU » FIVICS ARROW PULL




Black Green Blue Red

NC001S | FIVICS Pin Nock(S) NC001L | FIVICS Pin Nock(L)

This universal pin nock fits all standard pin nock adapters. It is made from a durable polycarbonate material that performs shot after shot.

X-NET PIN NOCK ADAPTER

designed for X-10 arrows



FIVICS GEARS

BOW CASE
QUIVER
PROTECTION
ETC

Secret masterpieces

World famous craftsmen researched, designed and produced



BCHD01 » AEGIS HARD CASE DOUBLE

- High quality hardcase
- This model can hold up to two recurve bows and their accessories

*Recommended maximum weight : 23kg

Size : 33" X 15" X 10"
Material : ABS+PC
Pocket : 1pcs



HARDCASE RAIN COVER



HARDCASE BELT



Rain cover / Case belt included

BCHD02 » AEGIS HARD CASE SINGLE

- Lightweight
- Strong enough against bad moving
- Special designed wheels
- Showy colors
- This model can hold up to one recurve bows and their accessories

Size : 830x320x190mm
Material : ABS+PC
Pocket : 1pcs

*Recommended maximum weight : 23kg



HARDCASE RAIN COVER



HARDCASE BELT



Rain cover / Case belt included



BCB02TM » TENTRON-M BACKPACK

Size : 11.8" X 7.8" X 26.7"
Pocket : 1pc
Weight : 2.4kg



- + Arrow tube
- + Equipment case
- + Riser & Limbs case included
- + Rain Cover

RLC01D » RISER & LIMBS CASE

Size : 27 X 7.5 X 3"
Weight : 800g



ECO4AT » FIVICS ARROW TUBE



BC2L01 » Folding case(2 level)

- Compact size
- Including riser & limbs and arrow
and equipment cases



Size : 28.5 X 10.5"
Weight : 900g



EC03TB » TOOL BOX



Size : 8.5 X 7 X 7"



STPRO1 » PRO HANDPOCKET

Size : 5X2.5X6"
Weight : 80g



NEW

UNICO SERIES



QVUNTL » UNICO QUIVER LARGE QVUNTS » UNICO QUIVER SMALL

Artificial leather provides you with elegance.

Extra "L" size belts are on sales

SIZE » Large / Small

WEIGHT » L-502g / S- 418g

TYPE » RH / LH



QVUNBN » UNICO BACK

Artificial leather provides you with elegance.

Extra "L" size belts are on sales

TYPE » RH / LH

WEIGHT » 380g



ACCENDO SERIES



QV02AT » ACCENDO TOURNAMENT

Light weight (630g)


Large pocket for accessories

TYPE » RH / LH



**CG03A2 » A2**

Adjust a shoulder band
The button system to adjust sides
Large : From XL to M
Medium : From L to S
Small : From M to XS
SIZE » L, M, S
TYPE » RH / LH
COLOR

**AM001W » ORGANIC WEB****AMH01J » SILICON JELLY****AC20LP » Limb Protector**

The device to protect the tip part and your feet when setting up bows.

Size : 56X97 mm
Material : Rubber

CLOTHES

Size : XS / S / M / L / XL / XXL

**AC17SO »
FIVICS LOGO SOCKS(3PAIRS=1SET)****UMB01 » UMBRELLA**

length : 1m
opened size : 1m 60cm





PERFECT TARGET FACE

TARGET FACES

046

WATER PROOF

FIVICS TARGET FACE FUNTION

- + Material : Polyester
- + Thickness : 0.29mm
- + Tensile strength(kg/cm²) : (L-40.0 / W - 17.0)
- + Temperature range : -32 ~ 260°C
- + Printing error range : 99.9% (Best "quility")



OUTDOOR TARGET FACE



PT 001F OUTDOOR 122cm Target Face
Range : 90m / 70m / 60m
Mark dimension : 122cm X 122cm
Total dimension : 125cm X 125cm (width/length)



PT 005F OUTDOOR 40cm-5ring Target Face
Range : 30m / 20m
Mark dimension : 40cm X 40cm
Total dimension : 43cm X 43cm (width/length)




PT 007A OUTDOOR 48cm-6ring Target Face
Range : 50m
Mark dimension : 48cm X 48cm
Total dimension : 51cm X 51cm (width/length)



PT 002F OUTDOOR 80cm Target Face
Range : 50m / 30m
Mark dimension : 80cm X 80cm
Total dimension : 83cm X 83cm (width/length)




PT 006F OUTDOOR Triangular Target face(5Line)
Range : 30m / 20m
Mark dimension : 40cm-Center X 3Target
Total dimension : 85cm X 85cm (width/length)




PT 007A3 OUTDOOR Triangular Target face(6Line)
Range : 50m
Mark dimension : 48cm-Center X 3Target
Total dimension : 99cm X 98.5cm (width/length)



PT 003F OUTDOOR 60cm Target Face
Range : 25m
Mark dimension : 60cm X 60cm
Total dimension : 63cm X 63cm (width/length)



PT 007F OUTDOOR Target face(5Line)
Range : 30m / 20m
Mark dimension : 40cm-Center X 4Target
Total dimension : 93cm X 85cm (width/length)



PT 007A4 OUTDOOR Triangular Target face(6Line)
Range : 50m
Mark dimension : 48cm-Center X 4Target
Total dimension : 102cm X 105cm (width/length)

OUT/INDOOR TARGET FACE



PT 004F OUTDOOR 40cm Target Face
Range : 18m
Mark dimension : 40cm X 40cm
Total dimension : 43cm X 43cm (width/length)



ASIA ONLY ONE WA TARGET FACE
LICENSED MANUFACTURER



Waterproof

TARGET FACES

047


INDOOR TARGET FACE




PT 008F INDOOR 20cm
Target Face(18m)
Range :18m
Mark dimension :20cm X 3 Target
Total dimension :23cm X 67cm (width/length)



PT 009F INDOOR Single Target Face
Range :18m
Mark dimension :40cm X 4 Target
Total dimension :93cm X 85cm (width/length)



PT 011F INDOOR 20cm Triangular Triple Target Face
Range :18m
Mark dimension :20cm X 3 X 12 Target
Total dimension :97cm X 85cm (width/length)



PT 010F INDOOR 12cm Target Face(18m)
Range :18m
Mark dimension :20cm X 12 Target
Total dimension :103cm X 67cm (width/length)


TRAINING TARGET FACE




PT 012F TRAINING 80cm-CenterSpot Target Face(8Line)
Range :50m/30m/20m
Mark dimension :24cm X 24cm
Total dimension :32cm X 32cm(width/length)



PT 013F TRAINING 122cm-CenterSpot Target Face(7Line)
Range :90m/70m/60m
Mark dimension :48.8cm X 48.8cm
Total dimension :61cm X 61cm(width/length)



PT 020F TRAINING Target Face
Mark dimension :52mm X 52mm
Total dimension :282mm X 238mm(width/length)



PT 021F TRAINING Target Face
Mark dimension :48mm X 48mm
Total dimension :250mm X 231mm(width/length)


FIELD TARGET FACE



PT 014F FIELD 80cm Target Face
Mark dimension :80cm X 80cm Target
Total dimension :83cm X 83cm(width/length)




PT 015F FIELD 60cm Target Face
Mark dimension :60cm X 60cm Target
Total dimension :63cm X 63cm(width/length)



PT 016F FIELD 40cm Target Face
Mark dimension :40cm X 40cm
Total dimension :43cm X 43cm(width/length)

ACADEMIC TARGET FACE



PT 017F OUTDOOR Target Face
Range :70m
Mark dimension :97.2cm X 97.2cm
Total dimension :103cm X 103cm(width/length)

PAG002 » TARGET SCORE BOOK



Waterproof



**ASIA FIRST WA TARGET FACE
LICENSED MANUFACTURER**



TOTAL
PERFORMANCES
ARE MADE OF
PRECISION

energy F

2018

made by
FIVICS



“Everyone can enjoy Archery”

In April 2015, the Fivics archery center was launched with a dream to allow anyone, including non-athletic people, to enjoy archery. Now, we are making that dream a reality. The new Krossen line allows us to say “Everyone can enjoy archery with top quality and beautifully designed equipment!”. In the past, beginners or intermediate archers did not much choice. But now, that has changed. We at Fivics thrive to make more options for everyone who love archery as we do.

XENIA RISER

HX0325 » XENIA RISER

- The lightest weight
- Only 770grams
- Flawless coating
- Showy color from painting
- Perfect centroidal balance

PROCESSING » DIE-CASTING
WEIGHT » 770g
MATERIAL » Alloy Magnesium
TYPE » RH
GRIP » Plastic
COLOR » Painted
LENGTHS » 25"

Painting




XENIA LIMBS

LXW03G » XENIA WOOD LIMBS


LXW03F » XENIA FOAM LIMBS

- Modern design
- New designed tip part

MATERIAL » Fiber Glass
CORE » Wood, Foam
BOW LENGTH » 66", 68", 70"
DRAW WEIGHT(lbs.) » 14#~30# (2# increments)




KROSEN SIGHT



SG03XE » SCORPION SIGHT

RH and LH both


SIZE » Extention 7"
MATERIAL » Aluminum
WEIGHT » 220g



SG02XE » XENIA SIGHT

RH and LH both

SIZE » Extention 4"
MATERIAL » Aluminum
WEIGHT » 180g



XENIA STABILIZER

STL01L » XENIA LONG STABILIZER

STL01S » XENIA SIDE STABILIZER

STL01E » XENIA EXTENDER

- Refined design
- Weight & damper included

MATERIAL » CARBON COMPOSITE

DIAMETRE » 17mm

WEIGHT » 116g(30"), 65g(12")

LENGTH » Long : 26", 28", 30"

Side : 10", 12"

Extender : 3", 4"

VBXE01 » XENIA V-BAR

Angle: 40°



XEDA01 » XENIA DAMPER

XENIA WEIGHT



* Suitable weight (All weight can be used for other stabilizers, but we recommend you to us the above in advance)

**LEOC01 »
XENIA LEO CUSHION PLUNGER**



MATERIAL » Aluminum
Thread : 5/16" - 24
SIZE » 61.5mm



XECL01 » XENIA CLICKER

MATERIAL »
Stainless Steel
SIZE »
100mm



**STXE01 »
XENIA STAND**

- Stability
- Perfect balance
- Magnetic System

HEIGHT » 44cm
MATERIAL » Aluminum

KP001R » KP REST

MATERIAL » Plastic
SIZE » 30*20mm



LFTJ01 » XENIA JM 1
SIZE » L / M / S (RH / LH)
LEATHER » Cowhide



LFTJ02 » XENIA JM 2
SIZE » L / M / S (RH / LH)
LEATHER » Cowhide



LFTCN1 » NEONINE A
SIZE » L / M / S (RH / LH)
LEATHER » Cowhide



**CG06XE »
XENIA CHEST GUARD**

SIZE » L, M, S
TYPE » RH / LH



AMS01B SPIDERMAN ARMGUARD



AMS01L

HYPER BACKPACK



XEB01B » HYPER Recurve backpack

SIZE » 340*750*150mm WEIGHT » 11kg

*Increased more stability from external shocks by applying more thicker foam material



EC04AK » ARROW TUBE



HYPER QUIVER

UP
GRADE



XEQV01 » HYPER Quiver

* 420D & 600D combination of high quality material a fabric

WEIGHT » 460g



XEQV02 » HYPER Back Quiver

* 420D & 600D combination of high quality material a fabric

WEIGHT » 380g



AC19EH » HK HOLDER





MACH3

ARMC03 » MACH3 ARROW

Beginner Carbon Arrow

Size : 400/500/600/700/800/900/1000/1100/1300/1500/1800(11 kinds of spines)

Shaft only : one dozen/12pcs

Finished arrow : one dozen/12pcs = shaft + 1.65" vanes + In-nock + break-off point

Straightness: ± 0.004"

MACH TARGET POINTS

90-100g



Vanes

1.65"



In Nock



Shaft Size	Qty	Stock Length inch	Spine	Point Weight
400	12 pack	33"	500	90-100g
500	12 pack	33"	500	90-100g
600	12 pack	33"	600	90-100g
700	12 pack	33"	700	90-100g
800	12 pack	33"	800	90-100g
900	12 pack	33"	900	90-100g
1000	12 pack	30"	1000	90-100g
1100	12 pack	30"	1100	90-100g
1300	12 pack	30"	1300	90-100g
1500	12 pack	30"	1500	90-100g
1800	12 pack	30"	1800	90-100g



NINJA

ARMC01 » NINJA ARROW

Beginner Carbon Composite Arrow

Size : 400/500/600/700/800/900/1000/1100/1300/1500/1800(11 kinds of spines)

Shaft only : one dozen/12pcs

Finished arrow : one dozen/12pcs = shaft + 1.65" vanes + In-nock + break-off point

Straightness: ± 0.006"

MACH TARGET POINTS

90-100g



Vanes

1.65"



In Nock



Shaft Size	Qty	Stock Length inch	Spine	Point Weight
400	12 pack	33"	500	70-80g
500	12 pack	33"	500	70-80g
600	12 pack	33"	600	70-80g
700	12 pack	33"	700	70-80g
800	12 pack	33"	800	70-80g
900	12 pack	33"	900	70-80g
1000	12 pack	30"	1000	70-80g
1100	12 pack	30"	1100	70-80g
1300	12 pack	30"	1300	70-80g
1500	12 pack	30"	1500	70-80g
1800	12 pack	30"	1800	70-80g

TOP SHOOTER'S CHOICE

TOP SHOOTER'S CHOICE

062



128 shooters in Rio 2016,
81 top shooter's choice



Live for the pursuit of perfection.
Be strong and bold.
Trust your shot.
Enjoy archery with Fivics and get
a taste of victory!

TOP SHOOTER'S CHOICE

063

