

2019

FIVICS PRODUCTS CATALOGUE





STORY OF TEAM FIVICS IN 2018

FIVICS is proud of the performance and hard work put into the 2018 season by our Pro Staff archers!

We promise to continue working as hard as our athletes to ensure their best performance in the upcoming 2019 season. We wish you the best through the 2019 competitive season and on the road to the 2020 Tokyo Olympics!

We here at Fivics take to heart an old proverb: "The strongest principle of growth lies in human choice."

Thank you to all archers who choose Fivics!

Another Masterpiece
in archery.
Shoot and trust how it
goes

FIVICS

RECURVE BOWS

TITAN EX



TITAN EX
RISER



TITAN EX
WOOD LIMBS



TITAN EX
FOAM LIMBS

VELLATOR



VELLATOR
RISER



VELLATOR
WOOD LIMBS




VELLATOR
FOAM LIMBS




TIGHT AND SECURE GRIP | 3 important points in grip system

The Titan EX's design purpose is to maximize the speed of the arrow. With the perfect centroidal balance design and the TSG (tight and secure grip), we have achieved great stability and arrows can be controlled better at high speeds



STABLE & STEADY GEOMETRY

The Titan EX's design purpose is to maximize the speed of the arrow. With the perfect centroidal balance design and the TSG (tight and secure grip), we have achieved great stability and arrows can be controlled better at high speeds



7075 RISER VS EX 6061 RISER

The Titan EX riser is designed with aluminum 6061 to allow the best vibration absorption possible. Using hydraulic press machine, we have scientifically proven that our 6061 riser can tolerate higher pressure than risers made from the more rigid materials like the 7075 aluminum.

SKY FLEX CWP CARBON PREPREG MATERIAL



With the cooperation of Fivics Archery and SK Chemical, we have developed the best and unique Carbon "PrePreg material" for archery. This material allows efficient pull kinetics and quick restoration.

- ▶ The most important thing in archery, Limbs is carbon's raw material
- ▶ In the process of producing good carbon materials, prepreg technology of epoxy and carbon fiber is proportional to the tension and torsion of the limbs.

Prepreg = Pre + Impregnated Material




SKY FLEX = Natural Flex fiber + Epoxy Resin




Carbon Material by SK Chemical

Increased stiffness but saved the same stability and uniform elasticity of the limb by cooperation between Fivics and SK chemical.

Plane Weave



Low Drapeability
High Crimp
Good Decoration




TITAN EX LIMBS - Surprising effect of 45 degrees carbon technology

The glass fiber is used to protect the carbon but this combination reduces arrow speed due to the heavy mass weight. On the other hand, 45 degrees carbon system increases shooting stability, protecting carbon as well as reinforcing anti-twisting.

Increased stiffness but saved the same stability and uniform elasticity of the limb.

Dry fire testing for breaking and strength of limbs



RISER TITAN EX

HX0525 » TITAN EX RISER

- Superfine CNC milling
- Special unique designed wooden grip
- Meticulous and Precise production
- Perfect centroidal balance
- Flawless coating
- Deep color from anodizing
- Aesthetically brilliant painting

PROCESSING » **CNC**
 WEIGHT » **1280g/1,330g(25")**
 - Using aluminum center block is 1280g
 MATERIAL » **AL 6061**
 TYPE » **RH**
 GRIP » **TSG Wood Grip**
 COLOR » **Anodized**
 Stabilizer Mount Thread **5/16" - 24**
 Upstabilizer Mount Thread **5/16" - 24**
 Cushion Plunger Mount Thread **5/16" - 24**
 Clicker Mount Thread **6/32"**

Anodizing



LIMBS TITAN EX



LXWC01 » TITAN EX WOOD CORE LIMBS

LXCF01 » TITAN EX FOAM CORE LIMBS

- Clean and powerful shooting
- New Material : CWP carbon
- Light weight
- Improved limb tip design

MATERIAL » **CWP 3K Full Carbon**
 CORE » **Wood core / Foam core**
 BOW LENGTH » **66",68",70"**
 DRAW WEIGHT(lbs.) » **32#~50# (2# increments)**

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



RISER VELLATOR V2

HV0225 » VELLATOR 25" RISER
HV0223 » VELLATOR 23" RISER

- Full CNC
- The lightest weight
- Only 1,100grams
- Flawless coating
- Showy color from painting
- Perfect centroidal balance

PROCESSING » CNC
WEIGHT » 1,100g(25")/1,070(23")
MATERIAL » AL 6061
TYPE » RH
GRIP » Plastic
COLOR » Anodizing
LENGTHS » 23",25"

Stabilizer Mount Thread 5/16" - 24
Upstabilizer Mount Thread 5/16" - 24
Cushion Plunger Mount Thread 5/16" - 24
Clicker Mount Thread 6/32"

Anodizing



Black Red Orange Blue Green Silver



UP
GRADE


LIMBS VELLATOR

LVWC02 » VELLATOR WOOD LIMBS
LVFC02 » VELLATOR FOAM LIMBS

- Wood core only
- Makes high speed arrow
- Improved limb tip design
- Crosse carbon applied

MATERIAL » UD CARBON
CORE » Wood core / Foam core
BOW LENGTH » 66",68",70"
DRAW WEIGHT(lbs.) » 22#-38# (2# increments)

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



Perfect grouping!
Fivics will shoot
5 of the Xs for you,
the last is up to you.

FIVICS

ARROWS



ARROW FIVE-X



ARFX001 » FIVE-X - CARBON ARROW SHAFT ONLY

We, Fivics, hereby can tell you that FIVE-X is perfect for Archery competition arrow due to these outstanding reasons.

- Advanced Technology, Extreme Accuracy.
- Straightness: $\pm 0.001''$.
- Weight tolerance: ± 1.0 grains.
- Spine selection tolerance: $\pm 0.002''$.

FXTPO » FIVE-X - TUNGSTEN POINT



FXSPO » FIVE-X - STAINLESS STEEL POINT



FXIN001 » FIVE-X - ALUMINUM INSERT PIN



Size	Length	Total Weight(g)	Outside Diameter	Qty	Recommended Point Weight Range		Pin Nock Adapter
					STEEL	TUNGSTEN	
350	32"	19.18	0.2136"	12pack	1Q	1X	
400	32"	18.04	0.2112"	12pack			
450	32"	17.10	0.2068"	12pack			
500	31"	15.17	0.2013"	12pack	2Q	2X	
550	31"	14.49	0.1989"	12pack			
600	30"	13.36	0.1957"	12pack			
650	30"	12.51	0.1927"	12pack	3Q	3X	
700	29"	11.59	0.1898"	12pack			
750	29"	11.60	0.1895"	12pack			
800	28"	10.33	0.1864"	12pack			
850	28"	9.78	0.1831"	12pack			
900	28"	9.78	0.1831"	12pack			
1000	28"	9.05	0.1792"	12pack			

ARROW TENPRO

ARTR001 » TENPRO - CARBON ARROW SHAFT ONLY

30tons of carbon makes extreme speed, strength and consistence in shooting and there speedy restoration from multi-shooting.

- Advanced Technology, Extreme Accuracy.
- Straightness: $\pm 0.002''$.
- Weight tolerance: ± 1.0 grains.
- Spine selection tolerance: $\pm 0.002''$.

TPRPO » TENPRO - STAINLESS STEEL POINT



TP001 » TENPRO- ALUMINUM INSERT PIN



Size	Length	Weight(Grain)	Diameter	Qty	Recommended Point Weight Range	Pin Nock Adapter
300	32	397.6	6.3	12/pack	T1/120g	
400	32	335.6	5.98	12pack		
450	32	302.6	5.79	12pack		
500	32	279	5.63	12pack	T2/120g	
550	32	260.5	5.55	12pack		
600	32	250.1	5.45	12pack		
650	32	236.4	5.4	12pack		
700	32	231.7	5.38	12pack		
800	32	211.4	5.22	12pack		
900	32	194.5	5.1	12pack	T3/120g	
1000	32	189.2	5.09	12pack		
1100	32	171.5	4.96	12pack		
1200	32	162.2	4.9	12pack		



ARROW ZEILO

ARZI001 » ZEILO CARBON ARROW SHAFT ONLY

ZEILO is the target arrow for Youth archer
NEW cross weave of pure carbon layer gives it's unequaled strength,

- Advanced Technology, Extreme Accuracy.
- Straightness: $\pm 0.002''$.
- Weight tolerance: ± 1.0 grains.
- Spine selection tolerance: $\pm 0.0025''$.

ZL002SP » ZEILO- TUNGSTEN POINT



ZT001 » ZEILO - ALUMINUM INSERT PIN



Shaft Size	Qty	length	ShWeight (Grain)	Spine	Recommended Point Weight Range
500	12 pack	33"	9.22	500	110g / 120g
600	12 pack	33"	8.76	600	110g / 120g
700	12 pack	33"	8.18	700	110g / 120g
800	12 pack	33"	7.61	800	110g / 120g
900	12 pack	33"	7.26	900	110g / 120g
1000	12 pack	33"	6.97	1000	110g / 120g
1100	12 pack	30"	6.72	1100	110g / 120g
1200	12 pack	30"	5.59	1200	110g / 120g
1300	12 pack	30"	6.54	1300	110g / 120g
1400	12 pack	30"	6.26	1400	110g / 120g
1500	12 pack	30"	6.07	1500	110g / 120g

ARROW NINJA

ARNJ001 » NINJA Beginner Carbon Composite Arrow

Finished arrow : one dozen/12pcs = shaft + 1.65" vanes + In-nock + break-off point
Straightness: $\pm 0.006''$

NMPON » NINJA TARGET POINTS



NMVAN » Vanes



NMNOK » In Nock



Shaft Size	Qty	length	Spine	Point Weight
400	12 pack	33"	500	80g / 90g
500	12 pack	33"	500	80g / 90g
600	12 pack	33"	600	80g / 90g
700	12 pack	33"	700	80g / 90g
800	12 pack	33"	800	80g / 90g
900	12 pack	33"	900	80g / 90g
1000	12 pack	30"	1000	80g / 90g
1100	12 pack	30"	1100	80g / 90g
1300	12 pack	30"	1300	80g / 90g
1500	12 pack	30"	1500	80g / 90g
1800	12 pack	30"	1800	80g / 90g



X10TPO » X10 - TUNGSTEN POIN FOR X10 SHAFT

WEIGHT » 120g



IPNX10 » X-NET PIN NOCK ADAPTER

designed for X-10 arrows



X10SP0 » X10 - STAINLESS STEEL POINT FOR X-10 SHAFT

WEIGHT » 120g



NC001S | FIVICS Pin Nock(S) NC001L | FIVICS Pin Nock(L)

This universal pin nock fits all standard pin nock adapters. It is made from a durable polycarbonate material that performs shot after shot.

Available in two size: #1 fits 12-18 strand strings / #2 fits 20-24 strand strings



FIVE-X Selection Guide Adjusted Bow Draw Weight

FX = FIVE-X

Bow Draw Weight	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"
13-15 lbs.								FX1000	FX1000	FX900	FX900
16-18 lbs.							FX1000	FX1000	FX900	FX900	FX850
19-21 lbs.						FX1000	FX1000	FX900	FX900	FX850	FX800
22-24 lbs.					FX1000	FX1000	FX900	FX900	FX850	FX800	FX750
25-27 lbs.				FX1000	FX1000	FX900	FX900	FX850	FX800	FX750	FX700
28-30 lbs.			FX1000	FX1000	FX900	FX900	FX850	FX800	FX750	FX700	FX650
31-33 lbs.		FX1000	FX1000	FX900	FX900	FX850	FX800	FX750	FX700	FX650	FX600
34-36 lbs.	FX1000	FX1000	FX900	FX900	FX850	FX800	FX750	FX700	FX650	FX600	FX550
37-39 lbs.	FX1000	FX900	FX900	FX850	FX800	FX750	FX700	FX650	FX600	FX550	FX500
40-42 lbs.	FX900	FX900	FX850	FX800	FX750	FX700	FX650	FX600	FX550	FX500	FX450
43-45 lbs.	FX900	FX850	FX800	FX750	FX700	FX650	FX600	FX550	FX500	FX450	FX400
46-48 lbs.	FX850	FX800	FX750	FX700	FX650	FX600	FX550	FX500	FX450	FX400	FX350
49-51 lbs.	FX800	FX750	FX700	FX650	FX600	FX550	FX500	FX450	FX400	FX350	
52-54 lbs.	FX750	FX700	FX650	FX600	FX550	FX500	FX450	FX400	FX350		
54-56 lbs.	FX700	FX650	FX600	FX550	FX500	FX450	FX400	FX350			
57-59 lbs.	FX650	FX600	FX550	FX500	FX450	FX400	FX350				

TENPRO | ZEILO Selection Guide Adjusted Bow Draw Weight

TP= TENPRO ZL= ZEILO

Bow Draw Weight	23"	24"	25"	26"	27"	28"	29"	30"	31"	32"	33"
20-lbs.	ZL1500	ZL1500	ZL1500	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800
22-lbs.	ZL1500	ZL1500	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800
24-lbs.	ZL1500	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700
26-lbs.	ZL1400	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700
28-lbs.	ZL1300	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600
30-lbs.	ZL1200	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600
32-lbs.	TP1200 ZL1100	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500
34-lbs.	TP1100 ZL1000	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500
36-lbs.	TP1000 ZL900	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450
38-lbs.	TP900 ZL900	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400
40-lbs.	TP850 ZL800	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400
42-lbs.	TP800 ZL800	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300
44-lbs.	TP750 ZL700	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300	TP300
46-lbs.	TP700 ZL700	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300	TP300	
48-lbs.	TP650 ZL600	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300	TP300		
50-lbs.	TP600 ZL600	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300	TP300			
52-lbs.	TP550 ZL500	TP500 ZL500	TP450	TP400	TP400	TP300	TP300				
54-lbs.	TP500 ZL500	TP450	TP400	TP400	TP300	TP300					
56-lbs.	TP450	TP400	TP400	TP300	TP300						

**Secret masterpieces
World famous craftsman
designed and made
research, production, planning
and design.**

FIVICS

ACCESSORIES

**SIGHT
STABLIZER
CUSHION PLUNGER
ARROW REST
FINGER TAB
ETC**



SIGHT FV-300

FV300S » FV-300 SIGHT

- Designed for Olympic style / Recurve bows
- Specially designed weight and dampers available (included)
- VTS (Variable Tension System)
- Elevation travel tension adjustment

SIZE » Extension 9"
TYPE » RH
MATERIAL » Aluminum, Carbon

Black



SIGHT DAMPERS

Extra special designed weight and damper are included



SGP01R » SIGHT PIN (ROUND)

- Designed for Olympic style / recurve bows
- Apply all of sights



CARBON STABLIZER PHOENIX 1500D

- STP15CL » PHOENIX 1500D-B STABLIZER LONG(COMPOUND)
STP15RL » PHOENIX 1500D-A STABLIZER LONG(RECURVE)
STP15RS » PHOENIX 1500D-A STABLIZER SIDE (COMPOUND, RECURVE)
STP15RE » PHOENIX 1500D-A STABLIZER EXTENDER (RECURVE)

MATERIAL » 40ton Carbon
DIAMETER » 15.5mm
LENGTH » Long : 26", 28", 30", 32" / Side : 8", 10", 11", 12", 13", 15"
/ Extender : 4", 5"
Type » A (Recurve type), B (Compound type)

Suitable weight (All weights can be used for other Fivics stabilizers. The weight listed on this page is the recommended weight to use with this stabilizer)


RECURVE TYPE

- Carbon Shaft + Aluminum frame structure make strong attachment of cap part.



COMPOUND TYPE

- Inner weight Extender is included(long)



CARBON STABLIZER CEX1900

STC19L » CEX1900 LONG STABILIZER
STC19S » CEX1900 SIDE STABILIZER
STC19E » CEX1900 EXTENDER

- 7 colors available
- Special metallic coating with vivid color
- Chrome coated cap
- Thickened extender
- Absorbing noise system
- Stabilizer screw top
- FSP system : Four Strong Pillar system

MATERIAL » 36ton Carbon
DIAMETER » 19mm
EXTENDER DIAMETER » 21mm
LENGTH » Long : 26", 28", 30" / Side : 10", 11", 12"
/ Extender : 4", 5"
WEIGHT » 120g(30"), 82g(12")

Suitable weight (All weights can be used for other Fivics stabilizers. The weight listed on this page is the recommended weight to use with this stabilizer)



Black Red Blue Yellow White

CARBON STABLIZER VELLATOR

STV01L » VELLATOR LONG STABILIZER
STV01S » VELLATOR SIDE STABILIZER
STV01E » VELLATOR EXTENDER

- Including special laminating materials
- Damper and weight head included
- Absorbing noise system
- stabilizer + damper + weight head

MATERIAL » 24ton Carbon
DIAMETER » 18mm
LENGTH » Long : 26", 28" / Side : 9", 10", 11"
/ Extender : 3", 4"(Aluminum)
WEIGHT » 135g(30"), 85g(11")

Suitable weight (All weights can be used for other Fivics stabilizers. The weight listed on this page is the recommended weight to use with this stabilizer)



Black Red Blue White



ACESSORIES

VBM01R » MAN V-BAR

Upgraded connecting bolt
ANGLE » 35° / 40° / 45°
MATERIAL » Aluminum
COLOR » BLACK



VBT04R » TR V-BAR

Easy to adjust, but strong holding for recurve bow
MATERIAL » Aluminum



VBT01C » COM V-BAR

Easy to adjust, but strong holding for compound bow
MATERIAL » Aluminum



VBC02C » COM CONNECTING BOLT

Quick disconnection
MATERIAL » Aluminum
ANGLE » -10°



DV1500S » DC1500S DAMPER

Thread » 1/4"-20



DV1500 » DC1500 DAMPER

Thread » 1/4"-20



VD200D » VD200 DAMPER

Thread » 1/4"-20



VZEROL » V-ZERO DAMPER

Thread » 1/4"-20



VZEROM » V-ZERO MINI-DAMPER

Thread » 1/4"-20



PX1500 WEIGHT

Diameter » 29mm
Weight » 26g / 52g / 104g
Thread » 1/4"-20



VWT200 » VWT 200 WEIGHT

Diameter » 24mm
Weight » Head-38g / Flat-38g
Thread » 1/4"-20



WT SERIES

Diameter » 20mm
Weight » Head-40g / Flat-26g
Thread » 1/4"-20



CONVERTER SCREW

*Applicable for all dampers



ACESSORIES

TNS100 » TNS100AL UPSTABILIZER

Weight : 90g Thread » 5/16"-24



TNV230 » TNV 2300 UPSTABILIZER

Weight : 80g Thread » 5/16"-24



UD1500 » PX1500 UPSTABILIZER

Weight : 127g Thread » 5/16"-24



NEW

SM540W » SM540 CUSHION PLUNGER

Compact size to make easy setting

Thread : 5/16" - 24
Adjustable Length : min 19.5mm, max 26.5mm



SM740W » SM740 CUSHION PLUNGER

Window checking

Thread : 5/16" - 24
Adjustable Length : min 19.5mm, max 26.5mm



BRS001 » BUTTERFLY REST

Ambidextrous Design



MRS001 » MR REST

Stainless steel ensured durability while reducing friction.



FINGER TAB SAKER SERIES



SFT04A » Saker+ Plus finger tab

SIZE » L / M / S (RH is new model, but LH is old version in 2016)

Saker+ Plus finger tab is 4mm thick, allows 3 weight control systems and 5 angle adjustment system through precise machining of the aluminum plate.

Saker+ Plus finger tab can be adjusted to fit the archers shape and preference to allow more stable hooking position, making it the best tab to shoot perfectly in any competition.

1 Angle Adjustment



2 Adjustable Ledge



3 Weight Control



4 Balance Control



- Ergonomic design
- Adjustable ledge
- Replaceable face and backing
- Optional finger spacer available



SFT01A » SAKER 1

SIZE » XL / L / M / S / XS / XXS (RH / LH)
LEATHER » Cordovan



COLOR
XL L M S XS XXS
Dark Blue Blue Red Yellow Purple Dark Green

BFT01A » BRASS SAKER 1

SIZE » L / M / S (RH / LH)
WEIGHT » L 162g, M 152g, S 144g
LEATHER » Cordovan



BFT02A » BRASS SAKER 2

SIZE » L / M / S (RH / LH)
WEIGHT » L 150g, M 140g, S 136g
LEATHER » Cordovan



SFT02A » SAKER 2

SIZE » XL / L / M / S / XS / XXS (RH / LH)
LEATHER » Cordovan



COLOR
XL L M S XS XXS
Dark Blue Blue Red Yellow Purple Dark Green

SFT03A » SAKER 3

SIZE » L / M / S (RH / LH)
LEATHER » Cordovan



COLOR
L M S
Blue Red Yellow

EP002S » SAKER 1 FINGER TAB FRAME EP

EP001 only fits Saker 1 finger tab

It offers top shooters another value for their hooking direction, comfortable and balanced.

This component enhances the saker finger tab's Ergonomic design



Size » saker1 XL, L = EP (L size)
saker1 M, S = EP (M size)
saker1 XS, XXS = EP (S size)



WA RULES Book3, Chapter 11, Article 11.18

The Technical Committee concluded that if the bar extends to the wrist but not beyond (extends at or before the contact point between the hand and the wrist), then the extension is legal.
World Archery C&R Committee, 22 September 2014

FINGER TAB POLITE SERIES

Emphasizes the sense of unity in your hands.

- Absolute stability, accuracy, and sense of unity of hooking
- 5 Distribution and support of the optimal force by using the whole fingers

- Ergonomic 3D design

- Aluminium & anodizing surface treatment

PFT03N » POLITE 3 FINGER TAB

SIZE » L / M / S (RH)

COLOR » Champagne Gold




PFT02N » POLITE 2 FINGER TAB

SIZE » L / M / S (RH)

COLOR » Champagne Gold



FINGER SPACER



FS004D

Material : Rubber

Size : 39.8 x 29.3 x 16.2mm

Weight : 14g

Color



Red Yellow Green Blue Purple Black



FS004T

Material : Rubber

Size : 32 x 28 x 12.4mm

Weight : 10g



FS001

Material : Plastic

Size : 36 x 28.3 x 12.3mm

Weight : 8g



FS005A

Material : Aluminum

Size : 40 x 29 x 10mm

Weight : 15g


ST001S » AUTOMATIC BOW STAND(SHORT)

ST001L » AUTOMATIC BOW STAND(LONG)

Height : 44cm [ST001S], 65cm [ST001L]

Weight : 573g [ST001S], 680g [ST001L]

Material : Aluminum



AUTOMATIC SYSTEM



AC05AT » CARBON T-GAUGE BOW SQUARE

Material : Carbon



AC05AT » AQ T-GAUGE BOW SQUARE

Material : Aluminum

Red Blue Black



**Secret masterpieces
World famous craftsman
designed and made
research, production, planning
and design.**

FIVICS

GEARS

**BOW CASE
QUIVER
PROTECTOR
ETC**



HARD BOW CASE AEGIS SERIES

BCHD01 » AEGIS HARD CASE DOUBLE

- High quality hardcase
- This model can hold up to two recurve bows and their accessories

**Recommended maximum weight : 23kg*

Size : 33" X 15" X 10"

Material : ABS+PC

Pocket : 1pcs

color:



Red Orange Blue Black White

HARDCASE RAIN COVER



HARDCASE BELT



Rain cover / Case belt included



BCHD02 » AEGIS HARD CASE SINGLE

- Lightweight
- Strong enough against bad moving
- Special designed wheels
- Showy colors
- This model can hold up to one recurve bows and their accessories

**Recommended maximum weight : 23kg*

Size : 830×320×190mm

Material : ABS+PC

Pocket : 1pcs

color:



Red Orange Blue Black White

HARDCASE RAIN COVER



HARDCASE BELT



Rain cover / Case belt included



BOW CASE THUNDER M

BCCTHM THUNDER M COMPOUND CASE(DOUBLE)

- Room for two compound bows
- Dimension : 15" x 45" x 12"

*Recommended maximum weight : 23kg

ARROW TUBE



CASE BELT



Arrow tube / Case belt included



NEW

BOW CASE TENTRON M

BCB02TM » TENTRON-M BACKPACK

- Riser & Limbs case included
- Arrow tube included

Size : 11.8" X 7.8" X 26.7"

Pocket : 1pcs

Weight : 2.4kg

color:



Red Black White



Arrow tube / Riser & Limbs case included



NEW

BOW CASE ATTACK

ATTB001 » ATTACK BACKPACK

- 57L wide pocket
- 3way transformation
- Tactical design
- Modular lightweight Load-carrying equipment
- Multi carrier
- Safe inner protection
- Not only archery, but also your daily life



RLC01D » RISER & LIMBS CASE

Size : 27 X 7.5 X 3"
Weight : 800g



EC04AT » FIVICS ARROW TUBE



CASE

BC2L01 » Folding case(2 level)

- Compact size
- Including riser & limbs and arrow and equipment cases

Size : 28.5 X 10.5"
Weight : 900g



EC03TB » TOOL BOX

Size : 8.5 X 7 X 7"



QUIVER UNICO SERIES



QVUNT » UNICO QUIVER LARGE QVUNT » UNICO QUIVER SMALL

Artificial leather provides you with elegance.

Extra "L" size belts are on sales

SIZE » Large / Small
WEIGHT » L-502g / S- 418g
TYPE » RH



Orange Green Blue Pink

QVUNBN » UNICO BACK

Artificial leather provides you with elegance.

Extra "L" size belts are on sales

WEIGHT » 380g
TYPE » RH



Orange Green Blue Pink



QUIVER ACCENDO TOURNAMENT

QV02AT » ACCENDO TOURNAMENT

Light weight
Large pocket for accessories

WEIGHT » 630g
TYPE » RH/LH



Black Blue Red

AC23PU » ARROW PULLER

- The best arrow puller without slip even in the rain!



STPR01 » PRO HAND POCKET

Size : 5X2.5X6"
Weight : 80g



PROTECTOR



CG03A2 » A2

Adjust a shoulder band
The button system to adjust sides
Large : From XL to M
Medium : From L to S
Small : From M to XS
SIZE » L, M, S
TYPE » RH/LH
COLOR



CG02BP » WIND

- Ergonomic chest guard made of hard mesh and high quality velcro.

SIZE » L, M, S, XS
TYPE » RH
Red Blue Black White




PROTECTOR


AMH01J » SILICON JELLY

Gel Arm Guard's features, it can reduce shooting by mistakes as it minimizes strings' vibration and repulsion in the moment they hit it even when the guard is hit by strings.

White Blue Green Yellow Red Pink Purple Light Purple



AM001W » ORGANIC WEB



AC20LP » Limb Protector

The device protects the tip part and your feet when setting up bows.

Size » 56X97 mm Material » Rubber



CLOTHS & SOUVENIR

CLOTHES

Size » XS / S / M / L / XL / XXL



AC12CA » FIVICS LOGO MESH CAP



AC26CS » COOL ARM SLEEVE



AC17SO » FIVICS LOGO SOCKS(3PAIRS=1SET)



UMBL01 » UMBRELLA

length » 1m Opened size » 1m 60cm



AC04CL » CLOCK

Size » 250x250x40mm



PAG002 » TARGET SCORE BOOK

Size » 85x130mm page » 120p Cover » Hard



AC03SL » STRETCH BAND, LIGHT ONE(YELLOW) AC03SH » STRETCH BAND, HEAVY ONE(GREEN)

THICKNESS » Yellow : 0.35mm / Green : 0.45mm



AC29DA » LED DART

- Safety magnetic dart system Size » 490x490x50mm



ANDROID TIMER FOR ARCHERY ARTIMER



Google Android
6.0 or above



RK3126 quad
core 1.5GHZ



RAM 1GB and
ROM 8GB



Multimedia




Archers to the shooting line.



Get your arrows.



Shooting arrows



TARGET FACE




FIVICS TARGET FACE FUNTION

- + Material : Polyester
- + Thickness : 0.29mm
- + Tensile strenght(kg/cm²) : (L-40.0 / W - 17.0)
- + Temperature range : -32 ~ 260°C
- + Printing error range : 99.9%(Best "quility")



WATER PROOF

OUTDOOR TARGET FACE



PT 001F OUTDOOR 122cm Target Face
Range : 90m / 70m / 60m
Mark dimension : 122cm X 122cm
Total dimension : 125cm X 125cm (width/length)



PT 002F OUTDOOR 80cm Target Face
Range : 50m / 30m
Mark dimension : 80cm X 80cm
Total dimension : 83cm X 83cm (width/length)




PT 003F OUTDOOR 60cm Target Face
Range : 25m
Mark dimension : 60cm X 60cm
Total dimension : 63cm X 63cm (width/length)




PT 004F OUTDOOR 40cm Target Face
Range : 18m
Mark dimension : 40cm X 40cm
Total dimension : 43cm X 43cm (width/length)



PT 007A OUTDOOR 48cm-6ring Target Face
Range : 50m
Mark dimension : 48cm X 48cm
Total dimension : 51cm X 51cm (width/length)



PT 007A3 OUTDOOR Triangular Target face(6Line)
Range : 50m
Mark dimension : (48cm-Center X 3Target)
Total dimension : 99cm X 98.5cm (width/length)



PT 007A4 OUTDOOR Triangular Target face(6Line)
Range : 50m
Mark dimension : (48cm-Center X 4Target)
Total dimension : 102cm X 105cm (width/length)

OUT/ INDOOR TARGET FACE


INDOOR TARGET FACE




PT 008F INDOOR 20cm Target Face(18m)
Range : 18m
Mark dimension : 20cm X 3Target
Total dimension : 23cm X 67cm (width/length)




PT 008C Compound INDOOR 20cm Target Face(18m)
Range : 18m
Mark dimension : 20cm X 3Target
Total dimension : 23cm X 67cm (width/length)



PT 009F INDOOR Single Target Face
Range : 18m
Mark dimension : 40cm X 4Target
Total dimension : 93cm X 85cm (width/length)



PT 011F INDOOR 20cm Triangular Triple Target Face
Range : 18m
Mark dimension : 20cm X 3 X 12Target
Total dimension : 97cm X 85cm (width/length)



PT 010F INDOOR 12cm Target Face(18m)
Range : 18m
Mark dimension : 20cm X 12Target
Total dimension : 103cm X 67cm (width/length)


TRAINING TARGET FACE




PT 012F TRAINING 80cm-CenterSpot Target Face(8Line)
Range : 50m/30m/20m
Mark dimension : 24cmX24cm
Total dimension : 32cmX32cm(width/length)



PT 013F TRAINING 122cm-CenterSpot Target Face(7Line)
Range : 90m/70m/60m
Mark dimension : 48.8cmX48.8cm
Total dimension : 61cmX61cm(width/length)




PT 020F TRAINING Target Face
Mark dimension : 52mmX52mm
Total dimension : 282mmX238mm(width/length)




PT 021F TRAINING Target Face
Mark dimension : 48mmX48mm
Total dimension : 250mmX231mm(width/length)


FIELD TARGET FACE



PT 014F FIELD 80cm Target Face
Mark dimension : 80cmX80cm Target
Total dimension : 83cmX83cm(width/length)




PT 015F FIELD 60cm Target Face
Mark dimension : 60cmX60cm Target
Total dimension : 63cmX63cm(width/length)



PT 016F FIELD 40cm Target Face
Mark dimension : 40cmX40cm
Total dimension : 93cmX85cm(width/length)

ACADEMIC TARGET FACE



PT 017F OUTDOOR Target Face
Range : 70m
Mark dimension : 97.2cmX97.2cm
Total dimension : 103cmX103cm(width/length)

FIVICS
ARCHERY PRODUCTS
www.fivics.com
FAX: +82-31-245-6386
MADE IN KOREA

5000 ARROW CHALLENGE
usable more than three times than
normal paper target face


Waterproof



ASIA FIRST WA TARGET FACE
LICENSED MANUFACTURER

TOTAL PERFORMANCES ARE MADE OF PRECISION 2019

energy 

“Everyone can enjoy Archery”

Since Fivics archery center has launched on April, 2015, Fivics has been focusing on how to enjoy archery from not only top shooters but also normal peoples and now, we hereby introduce Fivics's new line up for 2019. Believe our dreams come true. This is Krossen line and we can say “Now, everybody can enjoy archery by using of this top quality and beautiful designed gears”. There were only small options for beginners or middle class before, but we Fivics think we have to increase more options for all of peoples who love Archery as we love.



RISER XENIA

HX0325 » XENIA RISER

- The lightest weight
- Only 770grams
- Flawless coating
- Showy color from painting
- Perfect centroidal balance

PROCESSING » **DIE-CASTING**
 WEIGHT » **770g**
 MATERIAL » **Alloy Magnesium**
 TYPE » **RH**
 GRIP » **Plastic**
 COLOR » **Painted**
 LENGTHS » **25"**

Painting



Fluorescent Green Black White Red Blue Green




LIMBS XENIA

LXW03G » XENIA WOOD LIMBS LXW03F » XENIA FOAM LIMBS

- Modern design
- New designed tip part

MATERIAL » **Fiber Glass**
 CORE » **Wood, Foam**
 BOW LENGTH » **66", 68", 70"**
 DRAW WEIGHT (lbs.) » **12#-28# (2# increments)**

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



SIGHT SCORPION

SG03XE » SCORPION SIGHT

SIZE » Extension 7"
TYPE » RH
MATERIAL » Aluminum
WEIGHT » 220g



SIGHT XENIA

SG02XE » XENIA SIGHT

RH and LH both
SIZE » Extension 4"
MATERIAL » Aluminum
WEIGHT » 180g



STABILIZER XENIA

STL01L » XENIA LONG STABILIZER STL01S » XENIA SIDE STABILIZER STL01E » XENIA EXTENDER

- Refined design
- Weight & damper included

MATERIAL » CARBON COMPOSITE
DIAMETE » 17mm
WEIGHT » 116g(30"), 65g(12")
LENGTH » Long : 26", 28"
Side : 10", 12"
Extender : 3", 4"(Aluminum)

VBXE01 » XENIA V-BAR Angle: 40°



XEDA01 » XENIA DAMPER XENIA WEIGHT



XEWH01

XEWF01

* Suitable weight(All weight can be used for other stabilizers, but we recommend you to use the above in advance)



ACCESSORIES

LEOC01 » XENIA LEO CUSHION PLUNGER



MATERIAL » Aluminum
THREAD » 5/16" - 24
SIZE » 61.5mm



KRCLO02 » KROSSEN CLICKER

MATERIAL » Stainless Steel
SIZE » 100mm
THICKNESS » 0.3mm



NEW

XECL01 » XENIA CLICKER

MATERIAL » Stainless Steel
SIZE » 100mm
THICKNESS » 0.3 / 0.4mm



KP001R » KP REST

MATERIAL » Plastick
SIZE » 30*20mm



STXE01 » XENIA STAND

- Stability
- Perfect balance
- Magnetic System

HEIGHT » 44cm
MATERIAL » Aluminum




NEW

STKR02 » KROSSEN STAND

- Stability
- Perfect balance
- Aluminum Connector

HEIGHT » 38cm
MATERIAL » Aluminum



STKRC01 » KROSSEN COMPOUND BOW STAND

- Lightweight and durable
- Rubber grips the limbs for secure no slip fit

MATERIAL » Plastic / Rubber



KSS01 » KROSSEN STRING SERVER



PROTECTOR

LFTJ01 » XENIA JM1

SIZE » L / M / S (RH/LH)
LEATHER » Cowhide



LFTJ02 » XENIA JM2

SIZE » L / M / S (RH/LH)
LEATHER » Cowhide



LFTCN1 » NEONINE A

SIZE » L / M / S (RH/LH)
LEATHER » Cowhide



LFTC02 » CLOVER

Size : L / M / S (RH)
Leather : Cowhide



BS001 » BOW STRING BUCKLE


- Suitable for different kinds bow string.
- The inner layer is antiskid nylon, so it can protect the bow string
- 1set is including 2pcs



FR001 » FINGER PROTECTOR

- The size can be adjusted every finger thickness

MATERIAL » Rubber



CG06XE » XENIA CHEST GUARD

SIZE » L, M, S
TYPE » RH/LH



FABRIC ARMGUARD



AMS01S



AMS01M



AMS01L

AMS01B » SPIDERMAN ARMGUARD



BACKPACK HYPER



XEB01B » HYPER Recurve backpack

SIZE » 340*750*150mm WEIGHT » 920g

*Increased more stability from external shocks by applying more thicker foam material



+ Riser & Limbs case included
+ Arrow tube



EC04AK » ARROW TUBE



QUIVER HYPER

XEQV01 » HYPER Quiver

420D & 600D combination of high quality material a fabric

WEIGHT » 460g



XEQV02 » HYPER Back Quiver

420D & 600D combination of high quality material a fabric

WEIGHT » 380g



**AC19EH »
HK HOLDER**



FIVICS BOWS

SPECIFICATIONS

TITAN EX RISER

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
25"	1280/1,330g	Aluminum(6061)	Full CNC	Blue, Sky, Green, Orange, Red, Purple, Black, Silver

VELLATOR V2 RISER

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Anodized)
23"	1,035g	Aluminum(6061)	Full CNC	Black, Red, Orange, Blue, Green, Silver
25"	1,100g			

XENIA RISER

LENGTHS	WEIGHT	MATERIAL	PROCESSING	COLOR (Painted)
25"	770g	Alloy Magnesium	DIE-CASTING	Black, White, Red, Blue, Green



TITAN EX



VELLATOR V2



XENIA

TITAN EX LIMBS

CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
WOOD	CWP 3K Full Carbon	32#-50#	66", 68", 70"
FOAM			

VELLATOR LIMBS

CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
WOOD	UD CARBON	22#-38#	66", 68", 70"
FOAM			

XENIA LIMBS

CORE	MATERIAL	DRAW WEIGHT (lbs.)	LENGTHS
WOOD	Fiber Glass	12#-28#	66", 68", 70"
FOAM			

Fivics limbs follow the international limb fitting system (ILF) and are guaranteed to fit in all Fivics risers and others.



TITAN EX



VELLATOR



XENIA



Address » 42, Gwonseon-ro 668beon-gil, Gwonseon-gu, Suwon-si, Gyeonggi-do, Korea, 16566
Tel » +82-31-245-6388 **Fax »** +82-31-245-6386 **E-mail »** info@fivics.com



Follow us on Instagram!
<https://www.instagram.com/fivickorea/>



Like us on Facebook!
<https://www.facebook.com/fivicskorea>



Subscribe to us on YouTube!
<https://www.youtube.com/user/fivickorea>

Note: At the time of production of our 2019 Product Guide, the bows, limbs, color options, and all other accessories shown, and the information contained, had been thoroughly checked for accuracy. However, in the event an error was made, Fivics reserves the right to notify our dealers and customers at its discretion. Additionally, Fivics reserves the rights to modify, change or discontinue products shown in this publication without notice. Before using bows and other archery equipment, read all safety guidelines and warnings in the owner's manual or Online at www.fivics.com

FIVICS BOW LIMITED LIFETIME WARRANTY

Fivics recurve handles are guaranteed against manufacturing defects in materials and workmanship to the original owner for the life of the product.

For more information visit us online at
www.fivics.com

2019

FIVICS PRODUCTS CATALOGUE

2019 FIVICS PRODUCT CATALOGUE

FIVICS

