



2021
PRODUCT GUIDE



THIS IS ONLY THE BEGINNING

Company E-mail: info@sanlidaarchery.com
www.sanlidaarchery.com

TARGET

HUNTING

sanlida
archery

ACCESSORIES


TRAINING



Where miracle happens

HERO X10 PRO SET

The archery brand with the ultimate performance at great value on archery equipment.



Every Hero X10 is unique.
Every Hero X10 is produced according to your request.



HERO X10

- CNC machined from 6061-T6 aluminum and newly designed shoot-thru construction.
- High-end Gordon limbs bring ultimate performance.
- BCY 452X string which combines with HALO serving enhances perfect shooting experience.
- Perfect anodizing finishing.

SPECIFICATIONS

AXLE-TO-AXLE	40"
IBO SPEED	330 FPS
BRACE HEIGHT	7.5"
DRAW WEIGHT	40-50lbs 50-60lbs
DRAW LENGTH	
SMALL CAM	25" 25.5" 26" 26.5"
MIDDLECAM	27" 27.5" 28" 28.5" 29" 29.5"
LARGECAM	30" 30.5" 31" 31.5" 32"
LET-OFF	65%-70%
NET WEIGHT	4.6 LBS
COLOR	GOLD, RED, GREEN, LAKE BLUE, COBALT BLUE, BLACK, PURPLE, SILVER, YELLOW, PINK
AVAILABLE	RH&LH



COBALT BLUE LAKE BLUE PURPLE GOLD RED YELLOW GREEN SILVER BLACK PINK





PRODIGY_{X10}

- High-end Gordon limbs bring ultimate performance.
- High speed cam design.
- Control cable and suspension system make sure less vibration.
- CNC machined riser, the elegant decorative pattern.
- BCY 452X string which combines with HALO serving enhances perfect shooting experience.

SPECIFICATIONS

AXLE-TO-AXLE	38"
IBO SPEED	310 FPS
BRACE HEIGHT	7"
DRAW WEIGHT	40-50lbs, 50-60lbs
DRAW LENGTH	26-28" (small cam); 28.5-31.5" (big cam)
LET-OFF	75%
NET WEIGHT	4.9 LBS
COLOR	GOLD, RED, GREEN, BLUE, BLACK







HEROx8

- High strength alloy bow handle.
- BCY D97 string and 62X serving.
- Stable shooting, high precision.
- Smooth draw cycle.


SPECIFICATIONS

AXLE-TO-AXLE	36"
IBO SPEED	295 FPS
BRACE HEIGHT	7.5"
DRAW WEIGHT	25-40lbs, 35-50lbs, 45-60lbs
DRAW LENGTH	18"-32"
LET-OFF	75%
NET WEIGHT	3.9 LBS
COLOR	RED, GREEN, BLUE, BLACK, WHITE



MIRACLEX 10 OLYMPIC SET

The archery brand with the ultimate performance at great value on archery equipment.



MIRACLE RISER X10



MIRACLE_{X10}

- Extremely beautiful anodising ILF riser for Olympic.
- 6061-T6 aluminum through advanced processes with well strength and hardness.
- Advanced full CNC machined riser with excellent straightness and balance.
- Ergonomic wooden grip.
- Optional alignment adjustment style.
- High strength stainless steel alignment parts .

SPECIFICATIONS

LENGTH	WEIGHT	TYPE
25inches	1300g	RH/LH

Bolt Adjustment style / Block Adjustment style
Limb fitting system: ILF

COLOR



MYTH RISER X10



MYTH_{X10}

- Valuable anodising ILF riser for archers.
- High quality CNC machined riser with excellent straightness and balance.
- Premium dymond wooden grip with perfect hand position.
- High strength stainless steel alignment parts.

SPECIFICATIONS

LENGTH	WEIGHT	TYPE
25inches	1292g	RH

Bolt Adjustment style / Block Adjustment style

COLOR



MIRACLE RISER

X9



MIRACLE^{x9}

- Stylish and affordable recurve riser.
- Lightness , stability ,accuracy.
- Easy setting alignment system.

SPECIFICATIONS

LENGTH	WEIGHT	TYPE
25inches	1060g	RH

Limb fitting system: ILF

COLOR



MIRACLE RISER

X8



MIRACLE_{x8}

- Stylish and affordable recurve riser.
- Lightness , stability ,accuracy.
- Easy setting alignment system.

SPECIFICATIONS

LENGTH	WEIGHT	TYPE
25inches	873g	RH/LH

Limb fitting system: ILF

COLOR



MIRACLE LIMBS

X10



MIRACLE_{X10}

- Layered foam core limbs.
- Made of high-strength cross carbon.
- Smooth, light weight and fast limb.
- Advanced design, slim shape, durable, high performance, high speed and high precision.
- Advanced design of limb tips make the initial speed faster.
- Features luxurious metallic paint finishing.
- Strengthen limbs butt makes the limbs better durability.

SPECIFICATIONS [LENGTH AND WEIGHT]

66inches	Draw weight from 28# to 48#
68inches	Draw weight from 28# to 48#
70inches	Draw weight from 28# to 48#



MIRACLE LIMBS

X9



MIRACLE^{x9}

- Layered foam and fiber core limbs.
- Smooth, light weight and fast limb.
- Advanced design, slim shape, durable, high performance, high speed and high precision.
- Advanced design of limb tips make the initial speed faster.

SPECIFICATIONS [LENGTH AND WEIGHT]

66inches	Draw weight from 28# to 44#
68inches	Draw weight from 28# to 44#
70inches	Draw weight from 28# to 44#



MIRACLE LIMBS

X8



MIRACLE_{x8}

- ILF fitting limbs.
- High quality layered fiber and wood.

SPECIFICATIONS [LENGTH AND WEIGHT]

66inches	Draw weight from 18# to 42#
68inches	Draw weight from 20# to 42#
70inches	Draw weight from 20# to 42#



MIRACLE LIMBS

X7



MIRACLE_{x7}

- ILF fitting limbs.
- High quality layered maple wood.

SPECIFICATIONS [LENGTH AND WEIGHT]

66inches	Draw weight from 18# to 36#
68inches	Draw weight from 20# to 40#
70inches	Draw weight from 20# to 42#



TRAINNING



TANGZONG

- Best bow for beginners.
- High strength riser which is only 678g.
- RH and LH available.
- Durable quality.

SPECIFICATIONS [LENGTH AND WEIGHT]

66 RH or LH	from 16# through 38# in 2# increments
68 RH or LH	from 16# through 40# in 2# increments
70 RH or LH	from 16# through 40# in 2# increments

Riser Color: Red, Yellow, Green, Rose, Silver, Black, Blue
Limbs Color: White, Black

COLOR



RED YELLOW GREEN ROSE SILVER BLACK BLUE



SONGZU

- Best bow for beginners.
- Laminated wood riser with solid wood.
- Comfortable narrow grip.
- Durable quality.

SPECIFICATIONS [LENGTH AND WEIGHT]

48" RH or LH	from 10# to 20# in 2# increments.
54" RH or LH	from 10# to 22# in 2# increments.
62" RH or LH	from 18# to 36# in 2# increments.
66" RH or LH	from 16# to 34# in 2# increments.
68" RH or LH	from 16# to 38# in 2# increments.
70" RH or LH	from 16# to 38# in 2# increments.

COLOR






Hero X10 Target Compound Bow Honor Wall





DRAGON_{x8}



SPECIFICATIONS

AXLE-TO-AXLE

30"

IBO SPEED

310FPS

BRACE HEIGHT

6.5"

DRAW WEIGHT

0-60lbs,0-70lbs

DRAW LENGTH

18"-31"

LET-OFF

70%-80%

NET WEIGHT

3.8LBS

COLOR

Black, Green



Black


Green

Sanlida 2020 new arrival.

VELOCITY_{x10}



- High-end Gordon limbs bring ultimate performance.
- High speed cam design.
- Control cable and suspension system make sure less vibration.
- CNC machined riser, the elegant decorative pattern.



SPECIFICATIONS

AXLE-TO-AXLE

33.4"

IBO SPEED

330FPS

BRACE HEIGHT

6.42"

DRAW WEIGHT

40-50lbs, 50-60lbs, 60-70lbs

DRAW LENGTH

24.5"-26.5" (small cam) ; 27"-30" (big cam)

LET-OFF

75%

NET WEIGHT

4.7LBS

COLOR

Black, Green, Muddy Girl Black



Black

Green

Muddy Girl
Black

HERMIT_{x10}

RISER

- CNC machined 6061 aluminum riser for ultimate performance and appeal.
- Take-down design for easy storage.
- Luxury wooden grip.
- Block adjustment alignment adjustment.

SPECIFICATIONS

LENGTH	WEIGHT	TYPE
19inches	1043g	RH


Limb fitting system: ILF
Color: Red,Gold,Cobalt Blue,Green,Black

LIMBS

- High quality cross carbon.
- Matte finish.
- Special designed limbs for speed and response.
- Stainless steel bolts.
- Color: Black

SPECIFICATIONS [LENGTH AND WEIGHT]

60inches	Draw weight from 30# to 60# (5# increments)
62inches	Draw weight from 30# to 60# (5# increments)
64inches	Draw weight from 30# to 60# (5# increments)



TRACE_{x8}

- Special designed limbs angle allows for excellent accuracy.
- The take down construction make it easy to transport.
- Block adjustment alignment adjustment.

- Riser Length:19"
- Riser Material: dymond wood

SPECIFICATIONS [LENGTH AND WEIGHT]

60inches	from 30# through 60# in 5# increments
62inches	from 30# through 60# in 5# increments
64inches	from 30# through 60# in 5# increments

Limb fitting system:ILF
Limbs Color: Camo, Black

COLOR






ACCESSORIES

TEAM 700

TEAM 700 CARBON LONG ROD



**TEAM 700 CARBON LONG ROD
+DAMPER
+QUADRUPEL DISK 112gr**

- Sanlida's stiff carbon tech.
- Outside diameter 18 mm
- **Length:**28"/30"/33"

TEAM 700

TEAM 700 CARBON SIDE ROD



**TEAM 700 CARBON SIDE ROD
+ DAMPER
+DOUBLE DISK 56gr**

- Sanlida's stiff carbon tech.
- Diameter:**18mm
- Length:**10"/12"/15"

TEAM 700 S

TEAM 700S CARBON LONG ROD



**TEAM 700S CARBON LONG ROD
+DAMPER
+QUADRUPEL DISK 112gr**

- Sanlida's stiff carbon tech.
- Outside diameter 18 mm
- **Length:**28"/30"/33"

TEAM 700 S

TEAM 700S CARBON SIDE ROD



**TEAM 700S CARBON SIDE ROD
+ DAMPER
+DOUBLE DISK 56gr**

- Sanlida's stiff carbon tech.
- Diameter:**18mm
- Length:**10"/12"/15"

TEAM 700 ES

TEAM 700ES CARBON LONG ROD



**TEAM 700ES CARBON LONG ROD
+DAMPER
+QUADRUPEL DISK 112gr**

- Sanlida's extra stiff carbon tech.
- Outside diameter 14.5 mm
- **Length:**28"/30"/33"

TEAM 700 ES

TEAM 700ES CARBON SIDE ROD



**TEAM 700ES CARBON SIDE ROD
+ DAMPER
+DOUBLE DISK 56gr**

- Sanlida's extra stiff carbon tech.
- Diameter:**14.5mm
- Length:**10"/12"/15"

X10 RECURVE STABILIZER LONG ROD



SPECIFICATIONS
MATERIAL: Full carbon
LENGTH: 28" / 30"
DIA: 18mm

X10 RECURVE STABILIZER SIDE ROD



SPECIFICATIONS
MATERIAL: Full carbon
LENGTH: 11" / 12" carbon
DIA: 18mm

X10 RECURVE EXTENDER



SPECIFICATIONS
MATERIAL: CNC machined from premium 6061 aluminum
LENGTH: 5"
WEIGHT: 98.3g

X9 RECURVE STABILIZER LONG ROD



SPECIFICATIONS
MATERIAL: Full carbon
LENGTH: 26" / 28"
DIA: 18mm

X9 RECURVE STABILIZER SIDE ROD



SPECIFICATIONS
MATERIAL: Full carbon
LENGTH: 10" / 11"
DIA: 18mm

X10 RECURVE OLMPIC SIGHT



- The sight is with 9 inches universal extension bar, which is made of carbon fabrics for accuracy and lightness.
- The main body machined from the 6061 aluminum. Precisely-engineered shape and design for quick vertical and horizontal.
- Clear scale indications for micro adjustment.
- Package with sight pin and fiber optic.
- Two sight dampers included.

SPECIFICATIONS


Directions of adjustment: up/down
left/right

Weight: 255.5g

Available: RH



X9 RECURVE SIGHT



- Lightweight aluminum frame sight 9" carbon bar reduces weight and vibration.
- Smooth micro adjust elevation and windage adjustments .
- Micro adjustment unit with clear markings.

SPECIFICATIONS

Directions of adjustment: up/down
left/right

Available: RH



X8 RECURVE SIGHT



- Machined from 6061 Aluminum.
- Scale indication for 4 directions, can be micro-adjusted quickly.
- 9" extension rod allows for outstanding accuracy.

SPECIFICATIONS

Directions of adjustment: up/down
left/right

Available: RH



X10 RECURVE FINGER TAB



- SPECIFICATIONS**
- Olympic standard finger tab with cordovan.
 - Perfect structure design bring you unparalleled experience.
 - Adjustable rear palm extendor fits for every archer.
 - Cordovan leather and soft leather combine to multi-layered structure.

Available: RH only
SIZE: L M S

X9 RECURVE FINGER TAB



- SPECIFICATIONS**
- The perfect bearer design liberates your every finger.
 - New construction of finger tab allows your every second focus on aiming on target.

Available: RH only
SIZE: L M S

X8 RECURVE FINGER TAB



- SPECIFICATIONS**
- Maintains correct finger placement and pressure while drawing the bow.
 - Includes finger spacer.
 - Made of tough leather.

Available: RH only
SIZE: L M S

X10 LIMBS **DAMPER**



SPECIFICATIONS

- Designed for all recurve limbs.
- Destroy any excess limbs vibration and noise.

X10 RECURVE **CLICKER**



SPECIFICATIONS

Made of high-end material, durable for professional archers.

X8 RECURVE **CLICKER**



SPECIFICATIONS

Can be mounted on the sight, meet the needs of different archers with different draw length.

COLOR: Black, Blue, Gold, Red, Green

X10 RECURVE **SIGHT PIN DAMPER**



SPECIFICATIONS

- The weight is machined from 6061 Aluminum.
- High temperature resistance and durable for any archers.
- Obviously reduces the vibration.

WEIGHT:28.3g



X10 RECURVE **CUSHION PLUNGER**



SPECIFICATIONS

- Special material treatment, no damage to the arrows.
- Stable quality, can be used for a long time.
- Meet the needs of different archers.

WEIGHT:28.3g



X9 RECURVE **CUSHION PLUNGER**



SPECIFICATIONS

- Special material treatment, no damage to the arrows.
- Stable quality, can be used for a long time.
- Meet the needs of different archers.

WEIGHT:28g

Color:black,blue,gold,red,green

X10 RECURVE V-BAR



SPECIFICATIONS

- Machined from 6061 aluminum.
- Enables the archer to attach more weights to the far ends of the stabilizers.
- Making possible a setting that distributes weight away from the riser.

Angle: 35° 40° 45°

WEIGHT: 128.7g

X9 RECURVE ARROW REST



SPECIFICATIONS

- A preferred rest for all archers.
- Durable quality.

Available: RH

X10 RECURVE SLING



SPECIFICATIONS

- Adjustable nylon para-cord sling.

X8 COMPOUND WRIST RELEASE



X10 COMPOUND HANDLE RELEASE



X10 COMPOUND STABILIZER LONG ROD(14.5mm)



- SPECIFICATIONS**
- Designed for olympic compound archers.
 - Sanlida's hard carbon tech.
 - Outside diameter 14.5 mm bring outstanding performance.

Length:30"/33"

X10 COMPOUND STABILIZER LONG ROD(18mm)



- SPECIFICATIONS**
- Designed for olympic compound archers.
 - Sanlida's hard carbon tech.
 - Outside diameter 18 mm bring outstanding performance.

Length:28"/30"

X9 COMPOUND STABILIZER LONG ROD



- SPECIFICATIONS**
- Designed for all compound archers.
 - Powered by Sanlida's carbon tech.

Length:28"

X10 COMPOUND SIDE ROD(DIA 14.5mm)



- SPECIFICATIONS**
- Designed for olympic compound archers.
 - Sanlida's hard carbon tech.

Diameter:14.5mm
Length:12"/15"
Five colors for different archers.

X10 COMPOUND SIDE ROD(DIA 18mm)



- SPECIFICATIONS**
- Designed for olympic compound archers.
 - Sanlida's hard carbon tech.

Diameter:18mm
Length:11"/12"/15"
Five colors for different archers.

X9 COMPOUND SIDE ROD



- SPECIFICATIONS**
- Designed for all compound archers.
 - Powered by Sanlida's carbon tech.

Length:11"/12"

X10 COMPOUND EXTENDER



- SPECIFICATIONS**
- Reinforced by Sanlida's 3D patent structure.
 - Super strong links between long rod and bow.
 - Trustworthy strength bring unparalleled confidence for archers.

Color:Five different color
Length:5"
Weight: 162.5g



X10 COMPOUND PRO SIGHT



- The sight is with 6 inches and 9 inches extension bar, which is made of carbon fabrics for accuracy and lightness. The main body machined from the 6061 aluminum.
- Precisely-engineered shape and design for quick vertical and horizontal.
- Clear scale indications for adjustment.

SPECIFICATIONS

Directions of adjustment: up/down
left/right
vertical angle adjustment, horizontal angle adjustment.
Weight: 226g
Available: RH



X9 COMPOUND SIGHT



- Lightweight aluminum frame sight 6" carbon bar reduces weight and vibration.
- Smooth micro adjust elevation and windage adjustments.
- Micro adjustment unit with clear markings.

SPECIFICATIONS

Directions of adjustment: up/down
left/right
Available: RH



X8 COMPOUND SIGHT



- Machined from 6061 Aluminum.
- Scale indication for 4 directions, can be micro-adjusted quickly.
- 6" extension rod allows for outstanding accuracy.

SPECIFICATIONS

Directions of adjustment: up/down
left/right

Available: RH



X10 COMPOUND SCOPE



SPECIFICATIONS

Weight: 75g
Length: 115mm
Diameter: 29mm
Material: 6061-T6

X8 COMPOUND SCOPE



X10 COMPOUND V-BAR(DOUBLE)



SPECIFICATIONS

- Allows to adjust the bar to different angles.
- Strong, simple, less weight.
- Special designed structure allows quick assemble and fast transport.

Color: Five colors for different archers

Weight: 176.1g



X10 COMPOUND V-BAR(SINGLE)



SPECIFICATIONS

- Allows to adjust the bar to different angles.
- Strong, simple, less weight.
- Special designed structure allows quick assemble and fast transport.

Color: Black only

X10 COMPOUND QUICK DISCONNECT MOUNT



SPECIFICATIONS

Made of strong CNC machined aluminum.

Degree: 0°/5°/10°

Color: Five colors for different archers

Weight: 41.2g



X10 COMPOUND ARROW REST



SPECIFICATIONS

- The main body is precisely made of 6061 aluminum.
- Different sizes of high-strength and high-elastic launchers.
- Available for the horizontal and vertical adjustment.
- Stainless steel fixing bolts.
- Scratch-free during the shooting.
- 70mm long mount for pro archer.

Weight: 100.4g



X9 COMPOUND ARROW REST



SPECIFICATIONS

- The main body is precisely made of 6061 aluminum.
- Different sizes of high-strength and high-elastic launchers.
- Available for the horizontal and vertical adjustment.
- Stainless steel fixing bolts.
- Scratch-free during the shooting.

Weight: 64.5g



X10 COMPOUND SCOPE DAMPER



SPECIFICATIONS

- Machined from 6061 Aluminum.
- Made of special material.
- High temperature resistance and durable for any archers.
- Obviously reduces the vibration.

Weight: 27.2g



X10 COMPOUND LONG ROD DAMPER



SPECIFICATIONS

- Powered by Sanlida High-precision tech.
- Super strong structure.

Color: Five colors for different archers
Weight: 284g



X10 COMPOUND PEEP SIGHT



SPECIFICATIONS

- CNC machined 6061 Aluminum.
- Ultralight construction, imaging clearly.
- Allows for outstanding accuracy.

OD: 10.4mm
ID: 3/64"



X10 GENERAL RISER DAMPER



SPECIFICATIONS

- New generation in stabilizer vibration dampening technology, the best choice to reduce vibration and noise.
- 56g weight, X10 damper and a short aluminum extendor included.

Weight: 135.5g



X10 RECURVE CASE



SPECIFICATIONS

- Allows to adjust the bar to different angles.
- Strong, simple, less weight.
- Special designed structure allows quick assemble and fast transport.

Color: Five colors for different archers
Weight: 176.1g

X10 COMPOUND CASE



SPECIFICATIONS

- Allows to adjust the bar to different angles.
- Strong, simple, less weight.
- Special designed structure allows quick assemble and fast transport.

Color: Five colors for different archers
Weight: 176.1g

X10 GENERAL STABILIZER DAMPER



SPECIFICATIONS
 • Sanlida patent nanotechnology.
 • Best choice to calm your bow down.
Weight: 35.2g

X10 GENERAL SIGHT DAMPER



SPECIFICATIONS
 • Absorbs noise and vibration from your sight.
 • Prevents your sight from loosening due to post shot vibrations.
 • Ensure your smoothly aim and shoot.
 • Two pcs included in the package.
Color:Black
Weight: 12.2g

X9 GENERAL STABILIZER DAMPER



SPECIFICATIONS
 • New generation in stabilizer vibration dampening technology.
 • The best choice to reduce vibration and noise.
Weight: 41.6g

GENERAL DAMPER CONVERSION CONNECTION



SPECIFICATIONS
 High-grade stainless steel material production.
LENGTH: 1"
MOUNTING THREAD: Large diameter 5/16"-24UNF, small diameter 1/4"-20UNC

X10 GENERAL STABILIZER WEIGHT



SPECIFICATIONS
 Made of high-end material,meet the needs of different archers.
WEIGHT:112g 84g 56g 28g



GEAR X10 BOW CASE



SPECIFICATIONS
 • Most appropriate bow case with wheels for professional archers.
 • Make you feel easy for any globe tournaments.
 • Powered by Sanlida high-tech nylon material.
 • Provide trustworthy protection for your valuable equipments.
 • Enough room for two full sets of olympic bows.
SIZE:1210*410*220mm
Color:Black only
Weight: 9120g

GEAR SOFT COMPOUND BOW CASE



SPECIFICATIONS

- Soft compound bow case with nylon.
- Suitable for bow's ATA under 38".
- Provide soft protection for cams.

GEAR SANLIDA CAP



SPECIFICATIONS

Color: Black&green

GEAR SOFT RECURVE/HUNTING BOW CASE



SPECIFICATIONS

- Soft bow case with nylon.
- Provide soft protection for your bow.

SIZE:910*210*70 mm

Color:Black only

GEAR COPE COVER



SPECIFICATIONS

- Self closing cover to provide safe protection for your scope.
- Waterproof leather.
- Soft material inside.
- Fits variety of scope.

GEAR **BACKPACK**



SPECIFICATIONS

- Smart clean design with plenty of functionality.
- Large front and main pocket.
- Constructed of nylon.

SIZE: 67*30*14 cm

Color: Four colors for different archers

GEAR **X10 RECURVE STAND**



SPECIFICATIONS

- New fancy design for the new stand.
- Grip your bow as a baby and stand stable.
- Light weight and strong material.

GEAR **X8 RECURVE STAND**



SPECIFICATIONS

- Classic designed with durable construction.
- Light weight and strong material.

GEAR **X10 COMPOUND BOW STAND**



SPECIFICATIONS

- New designed with Sanlida impact resistant composite material tech.
- Lightweight, durable.

Color: Green

GEAR **ARROW PULLER**



SPECIFICATIONS

Deep wedge fits all arrow sizes.

Color: Red only

GEAR **X10 ARROW PULLER GLOVE**



SPECIFICATIONS

- High quality rubber.
- Fit all size of arrows.

GEAR X8 CHEST GUARD



SPECIFICATIONS
 Light weight and provide protection for your chest.
Material: Nylon(Double layered)
TYPE: RH
SIZE: L

GEAR X10 ARM GUARD



SPECIFICATIONS
 • Extremely light and comfortable to wear.
 • No impact to the arrow.
 • Skeleton-like structure.

GEAR X7 ARM GUARD




SPECIFICATIONS
 • Provide perfect protection for your arm.

GEAR X10 HUNTING ARM GUARD



GEAR X8 ARM GUARD



SPECIFICATIONS
 • Features with Sanlida 3D structure.
 • Extremely light and comfortable to wear.
 • Smooth outer surface creates less friction when impacted by the string.
Color: Five colors for different archers

GEAR X10 LIMBS PROTECTOR



GEAR RELEASE POUCH



SPECIFICATIONS
One size fits most.

Color: red,blue,green

GEAR RELEASE POUCH



SPECIFICATIONS
• One type fits most.
• Waterproof leather.
• Soft material inside.

GEAR STRINGER



SPECIFICATIONS
Nylon chord with rubber cups.

GEAR X10 TARGET QUIVER



SPECIFICATIONS
• Luxury leather body.
• With convenient accessories pocket.

Color:Black
Available: RH

GEAR X9 TARGET QUIVER



SPECIFICATIONS
• Canvas body.
• With convenient accessories pocket.

Color:Black
Available: RH

GEAR X10 FIELD QUIVER



SPECIFICATIONS
• Luxury leather body.
• With convenient accessories pocket.

Color:Black
Available: RH

GEAR X9 FIELD QUIVER



SPECIFICATIONS
• Canvas body.
• With convenient accessories pocket.

Color:Black
Available: RH

GEAR TARGET PAPER



SPECIFICATIONS

- Durable reinforced material.
- SIZE:1250*1250mm

GEAR TARGET PAPER



SPECIFICATIONS

- Durable reinforced material.
- SIZE:830*830mm

GEAR TARGET PAPER



SPECIFICATIONS

- Durable reinforced material.
- SIZE:510*510mm

GEAR TARGET PAPER



SPECIFICATIONS

- Durable reinforced material.
- SIZE:670*230mm

GEAR TARGET PAPER



SPECIFICATIONS

- Durable reinforced material.
- SIZE:670*230mm

GEAR TARGET STAND



SPECIFICATIONS

- 211cm*153cm

Sanlida's honor



Contribution award of national compound competition from Chinese archery association.